

|                          |  |
|--------------------------|--|
| <b>Product name:</b>     | DCI Rabbit Monoclonal Antibody   |
| <b>Cat number:</b>       | MABN01897  |
| <b>Conjugate:</b>        | Unconjugated   |
| <b>Size:</b>             | 100µL  |
| <b>Clone:</b>            | Monoclonal   |
| <b>Concentration:</b>    | 1mg/ml   |
| <b>Host:</b>             | Rabbit   |
| <b>Isotype:</b>          | IgG  |
| <b>Immunogen:</b>        | A synthetic peptide of human DCI   |
| <b>Reactivity:</b>       | Human, Mouse, Rat  |
| <b>Applications:</b>     | WB 1:500-1:1000, IHC 1:50-1:100, ICC/IF 1:50-1:200   |
| <b>Molecular Weight:</b> | Calculated MW: 33 kDa; Observed MW: 33 kDa   |
| <b>Purification:</b>     | Affinity Purification  |
| <b>Form:</b>             | Liquid   |
| <b>Buffer:</b>           | 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA                        |
| <b>Storage:</b>          | Store at 4°C short term. Aliquot and store at -20°C for 12 months. Avoid freeze/thaw cycles.                 |
| <b>Background:</b>       | Able to isomerize both 3-cis and 3-trans double bonds into the 2-trans form in a range of enoyl-CoA species. |