

---

<b>Product name:</b>	GCNT3 Rabbit Polyclonal Antibody
<b>Cat number:</b>	ABN11360
<b>Conjugate:</b>	Unconjugated
<b>Size:</b>	100µL
<b>Clone:</b>	Polyclonal
<b>Concentration:</b>	1mg/ml
<b>Host:</b>	Rabbit
<b>Isotype:</b>	IgG
<b>Immunogen:</b>	The antiserum was produced against synthesized peptide derived from human GCNT3. AA range:226-275
<b>Reactivity:</b>	Human,Rat,Mouse
<b>Applications:</b>	IHC 1:100-1:300,ICC/IF 1:200-1:1000,ELISA 1:10000-1:20000
<b>Purification:</b>	Affinity purification
<b>Form:</b>	Liquid
<b>Buffer:</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
<b>Storage:</b>	Store at 4°C short term. Aliquot and store at -20°C for 12 months. Avoid freeze/thaw cycles.
<b>Background:</b>	<p>This gene encodes a member of the N-acetylglucosaminyltransferase family. The encoded protein is a beta-6-N-acetylglucosamine-transferase that catalyzes the formation of core 2 and core 4 O-glycans on mucin-type glycoproteins.[provided by RefSeq, Apr 2009],catalytic activity:UDP-N-acetyl-D-glucosamine + beta-D-galactosyl-1,3-N-acetyl-D-galactosaminyl-R = UDP + beta-D-galactosyl-1,3-(N-acetyl-beta-D-glucosaminyl-1,6)-N-acetyl-D-galactosaminyl-R.,catalytic activity:UDP-N-acetyl-D-glucosamine + beta-D-galactosyl-1,4-N-acetyl-D-glucosaminyl-R = UDP + N-acetyl-beta-D-glucosaminyl-1,6-beta-D-galactosyl-1,4-N-acetyl-D-glucosaminyl-R.,function:Glycosyltransferase that can synthesize all known mucin beta 6 N-acetylglucosaminides. Mediates core 2 and core 4 O-glycan branching, 2 important steps in mucin-type biosynthesis. Has also I-branching enzyme activity by converting linear into branched poly-N-acetyllactosaminoglycans, leading to introduce the blood group I antigen during embryonic development.,induction:By all-trans retinoic acid (ATRA), TNF-alpha and IL13. Strongly down-regulated in colorectal cancer.,online information:Core 2/core 4 beta-1,6-N-acetylglucosaminyltransferase,online information:GlycoGene database,pathway:Protein modification; protein glycosylation.,PTM:N-glycosylated.,similarity:Belongs to the glycosyltransferase 14 family.,tissue specificity:Primarily expressed in mucus-secreting tissues. Expressed in colon, kidney, small intestine, trachea, and stomach, where mucin is produced.,</p>