

| | |
|--------------------------|---|
| Product name: | Interferon alpha/beta Receptor 1 Rabbit Monoclonal Antibody |
| Cat number: | MABN02167 |
| Conjugate: | Unconjugated |
| Size: | 100µL |
| Clone: | Monoclonal |
| Concentration: | 1mg/ml |
| Host: | Rabbit |
| Isotype: | IgG |
| Immunogen: | A synthetic peptide of human Interferon alpha/beta receptor 1 |
| Reactivity: | Human |
| Applications: | WB 1:500-1:1000,IP 1:20-1:50 |
| Molecular Weight: | Calculated MW: 64 kDa; Observed MW: 110-130 kDa |
| Purification: | Affinity Purification |
| Form: | Liquid |
| Buffer: | 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA |
| Storage: | Store at 4°C short term. Aliquot and store at -20°C for 12 months. Avoid freeze/thaw cycles. |
| Background: | Component of the receptor for type I interferons, including interferons alpha, IFNB1 and IFNW1. Functions in general as heterodimer with IFNAR2. Type I interferon binding activates the JAK-STAT signaling cascade, and triggers tyrosine phosphorylation of a number of proteins including JAKs, TYK2, STAT proteins and the IFNR alpha- and beta-subunits themselves. Can form an active IFNB1 receptor by itself and activate a signaling cascade that does not involve activation of the JAK-STAT pathway. |