

---

<b>Product name:</b>	MYO5C Rabbit Polyclonal Antibody
<b>Cat number:</b>	ABN14329
<b>Conjugate:</b>	Unconjugated
<b>Size:</b>	100µL
<b>Clone:</b>	Polyclonal
<b>Concentration:</b>	1mg/ml
<b>Host:</b>	Rabbit
<b>Isotype:</b>	IgG
<b>Immunogen:</b>	Synthesized peptide derived from human protein . at AA range: 850-930
<b>Reactivity:</b>	Human,Rat,Mouse
<b>Applications:</b>	WB 1:500-1:2000,ELISA 1:5000-1:20000
<b>Molecular Weight:</b>	191kDa
<b>Purification:</b>	Affinity purification
<b>Form:</b>	Liquid
<b>Buffer:</b>	Liquid in PBS containing 50% glycerol, and 0.02% New type preservative N.
<b>Storage:</b>	Store at 4°C short term. Aliquot and store at -20°C for 12 months. Avoid freeze/thaw cycles.
<b>Background:</b>	function:May be involved in transferrin trafficking. Likely to power actin-based membrane trafficking in many physiologically crucial tissues.,similarity:Contains 1 dilute domain.,similarity:Contains 1 myosin head-like domain.,similarity:Contains 6 IQ domains.,tissue specificity:Expressed chiefly in non-neuronal tissues. Particularly abundant in epithelial and glandular tissues including pancreas, prostate, mammary, stomach, colon and lung.,function:May be involved in transferrin trafficking. Likely to power actin-based membrane trafficking in many physiologically crucial tissues.,similarity:Contains 1 dilute domain.,similarity:Contains 1 myosin head-like domain.,similarity:Contains 6 IQ domains.,tissue specificity:Expressed chiefly in non-neuronal tissues. Particularly abundant in epithelial and glandular tissues including pancreas, prostate, mammary, stomach, colon and lung.,