
| | |
|--------------------------|--|
| Product name: | Rap 2B Rabbit Polyclonal Antibody |
| Cat number: | ABN16889 |
| Conjugate: | Unconjugated |
| Size: | 100µL |
| Clone: | Polyclonal |
| Concentration: | 1mg/ml |
| Host: | Rabbit |
| Isotype: | IgG |
| Immunogen: | The antiserum was produced against synthesized peptide derived from human RAP2B. AA range:98-147 |
| Reactivity: | Human,Mouse,Rat |
| Applications: | WB 1:500-1:2000,IHC 1:50-1:300 |
| Molecular Weight: | 18kDa |
| Purification: | Affinity purification |
| Form: | Liquid |
| Buffer: | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N. |
| Storage: | Store at 4°C short term. Aliquot and store at -20°C for 12 months. Avoid freeze/thaw cycles. |
| Background: | <p>This intronless gene belongs to a family of RAS-related genes. The proteins encoded by these genes share approximately 50% amino acid identity with the classical RAS proteins and have numerous structural features in common. The most striking difference between the RAP and RAS proteins resides in their 61st amino acid: glutamine in RAS is replaced by threonine in RAP proteins. Evidence suggests that this protein may be polyisoprenylated and palmitoylated. [provided by RefSeq, Jul 2008],domain:The effector domain mediates the interaction with RUNDC3A.,similarity:Belongs to the small GTPase superfamily. Ras family.,subunit:Interacts with PLCE1. Interacts with SGSM1, SGSM2 and SGSM3. The GTP-bound form of RAP2B interacts with RUNDC3A.,</p> |