

|                          |   |
|--------------------------|---|
| <b>Product name:</b>     | S100 alpha6 Rabbit Monoclonal Antibody  |
| <b>Cat number:</b>       | MABN03193   |
| <b>Conjugate:</b>        | Unconjugated  |
| <b>Size:</b>             | 100µL   |
| <b>Clone:</b>            | Monoclonal  |
| <b>Concentration:</b>    | 1mg/ml  |
| <b>Host:</b>             | Rabbit  |
| <b>Isotype:</b>          | IgG   |
| <b>Immunogen:</b>        | Recombinant protein of human S100 alpha 6/PRA   |
| <b>Reactivity:</b>       | Human,Mouse   |
| <b>Applications:</b>     | WB 1:500-1:1000,ICC/IF 1:50-1:200,IP 1:20-1:50  |
| <b>Molecular Weight:</b> | Calculated MW: 10 kDa; Observed MW: 10 kDa  |
| <b>Purification:</b>     | Affinity Purification   |
| <b>Form:</b>             | Liquid  |
| <b>Buffer:</b>           | 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA   |
| <b>Storage:</b>          | Store at 4°C short term. Aliquot and store at -20°C for 12 months. Avoid freeze/thaw cycles.  |
| <b>Background:</b>       | S100A6 (calcyclin) is involved in a number of cellular processes, including exocytosis and cell cycle regulation. In addition, S100A6 interacts with a number of proteins such as SIP, GAPDH, and annexins in a calcium-dependent fashion. Research studies demonstrate that a down regulation of corresponding S100A6 gene expression causes a decrease in cell proliferation. |